## الصدهات النفسية للاحتلال وأثرهاعلى الحزن وكرب ما بعد الصدهة

(لـــدى الأطفــال في قطــاع غــزة)

#### نافـــــل شعــــــث

د. عبد دالعزيد ز ثابت على النفس – غزة، فلسطين

thabet@gcmhp.net

#### ملخص الدراسية

هدفت هذه الدراسة إلى تقييم تأثير الأحداث الصادمة التي تعرض لها الأطفال الفلسطينيون خلال انتفاضة الأقصى على تطور كرب ما بعد الصدمة و الحزن بين الأطفال .

#### منهجيـة الدراسـة

هذه الدراسة هي دراسة و صفية تحليلية درست الأطفال بصورة مقطعية (عرضية)، تكونت عينة الدراسة من 405 طفل (209 إناث ، 196 ذكور ) تم اختيارهم بصورة عشوائية منتظمة من ست مدارس إعدادية موزعة علي محافظة خان يونس و مدينة رفح ( أربع مدارس حكومية و مدرستان تابعة لوكالة الغوث الدولية) ، وعلى أساس التمثيل النسبي المتساوي لعينة الدراسة من حيث الجنس ، العمر و موقع السكن .

#### جميع المعلوميات

تم جمع البيانات بطريقة مباشرة من الأطفال و بإشراف الباحثين المباشر لعملية جمع البيانات، وذلك باستخدام استبانات الدراسة الأربع وهي : استبانه المعلومات الشخصية و الديموغرافية ، مقياس غزة للخبرات الصادمة، و مقياس ردود الفعل لكرب ما بعد الصدمة للأطفال، و مقياس الحزن للأطفال.

#### نتائح الدراســة

تعرض الأطفال الفلسطينيين خلال انتفاضة الأقصى إلي خبرات صادمة شديدة حيث بلغ متوسط الخبرات الصادمة التي تعرض لها الأطفال 9 خبرات صادمة، و تعرض كل طفل على الأقل لأربع خبرات صادمة وبحد أقصى بلغ 14 خبرة . بلغ معدل انتشار كرب ما بعد الصدمة بين الأطفال 19.5 %، أيضا أظهرت النتائج وجود فروق ذات دلالة بين فئات العمر من حيث تطور ردود الفعل لكرب ما بعد الصدمة لصالح الأطفال الأكبر سنا ، بينما لم توجد فروق ذات دلالة بين الجنسين و مكان السكن من حيث تطور ردود الفعل 19.5 %، كما أظهرت ردود الفعل لكرب ما بعد الصدمة . بلغ معدل انتشار الحزن بين الأطفال 47.9 %، كما أظهرت النتائج وجود فروق ذات دلالة إحصائية بين أماكن السكن من حيث تطور أعراض الحزن لصالح مخين يونس، بينما لم توجد فروق ذات دلالة بين الجنسين و فئات العمر من حيث تطور أعراض الحزن .

أظهرت النتائج وجود علاقة معنوية طردية بين شدة الصدمة النفسية و تطور ردود الفعل لكرب ما بعد الصدمة و الحزن ، ووجود علاقة ارتباط بين نوع الخبرات الصادمة التي تتضمن المشاهدة و السمع و تطور كرب ما بعد الصدمة و الحزن .

#### لـتو صىـــات

ضرورة الاهتمام ببرامج الصحة النفسية الجتمعية كجز، هام من الرعاية الصحية الأولية و ذلك من خلال إنشاء مراكز صحة نفسية مجتمعية خاصة بالأطفال، وذلك بهدف الحد من انتشار الأمراض النفسية بشكل خاص في المجتمع الفلسطيني .

#### 1 - المقدم\_\_\_ة

2000-9-28

2005

. (PCBS)
2003-12- 2000-9-28 ( )
5000 21000 2100 31

548 2004
3500 670

)

مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007

. (2004

### اضطرابات الشدة التاليــة للعدمــة مــن منظــور عربــــى

( ) . (Pfefferbaum, 1997) (Smith et . (Punamaki, 1982) (PTSD) al, 2002) 2976 14-9 (Lonigan, 1991; Goenjian et al, 1995; Thabet et al, 1997; Wenar and Kerig, 2000). 1948 (Goldstien et al, 1997) 364 . (Abu Hein et al , 1993) ( ) %94 (DSM-IV) %90 %95 20 (Weine et al, 1995) 65% 35%

(Nader et al , 1993)

( Allodi ,1982; Ablidgaard et al , 1984; Genefke, 1986; Mollica, et al , 1987; Weine et al , 1995 ; Thabet , et al 1999 , 2000 , 2001, 2002, 2004 ; Abu-Nada, 2003).

2 - العلاقة بين الخبرات الصادمة و الحزن

98%

.

.2004 .

4 - أدوات الدراســــة

1.4 - مقياس الحالة الاجتماعية و الاقتصادية للأسرة

.

3 - العينة و طرق البحث 2.4 - قائمة غزة للخبرات الصادمة. (2000/1999)

. 17

15-13

. (Thabet et al 2001)

4-0 11 10-5 . 4500

( )

210 196 405

. 210 209 132 : 137

137 136 مقياس كرب ما بعد الصدمـــة للأطفـــال Child post traumatic stress reactions – Index

0.87 (Pynoos et al, 1987) (Pynoos et al, 1987) \* \* \* \* 96.4

(1999

0.71

Arabpsynet e.Journal: N° 13 - Winter 2007 2007 عبلة شبكة العدد 13 العدد 13

# 

```
0.70
                                                                                      )
                                                                                                     (
                                                                                                                        0.01
(Chi-Square)
                                                                (DSM-III-
                                                                                                                          R)
                                                                                                        20 ،15 ،12
                                                                                                   20
         (One-Way ANOVA)
                                                                (DSM-III-R)
                                                                 17-13
                                                                                                7-1
                (T-Independent Test)
                                                                                12-8
                                      . (Pearson Correlation )
                                                                                                                   . 18،19،20
                                     6 - الاعتبارات الأخلاقي
                                                                                      16-6
                                                                                                               )
                                                                4-0
                                                                         60
                                                                39-25
                                                                                             59-40
                                                                                      11-0
                                                                                                      24-12
                                                                        40
                                                                  . (Goenjian et al, 1995) (
                                                                         2.2.4 - مقياس الحزن للأطفال Grief Index
                                                                                      1993
                                                                (Nader and .Pynoos, 1993)
                                 ع.
1.7 - الصفات الديمو غرافي
                                        جدول رقم (1)
                       420
                                               405
                        %96.4
                                                                                                ٠1-0
                % 48.4
                                                   196
                                                                                  ۰ 0.68
                              % 51.6
                                               209
              .0.81 =
                                            14
           132
                                                % 32.6
                                                                                           .(1 ,2, 6, 9)
        %33.7
                                                   137
                        136
                                                      % 33.5
                                                               7-5 ،
                                                                            4-2
                                                                                         1-0
                                                                                                                  9-8
               .% 41.4
                                     168
                                                                                          5
                ,% 23.4
                                      95
                          .% 10.2
37
                                                    41
26
                                               . % 9.2
                                                                                                  15
                                             % 6.5
)
                                                                              (SPSS- Version-11)
                                 .% 6.4
                                                  26 (
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                               مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007
```

8.4	34	ابتدائي
3.6	15	دراسات علیا
1.2	5	لم يتعلم
		المستوى التعليمي للأم
41.4	168	ثــا نــو ي
32.1	130	إعدادي
10	40	جامعة
8.2	33	ابتد ائي
5.5	22	دبلوم متوسط
0.3	2	دراسات علیا
2.4	10	لم تتعلم

# 2.7 - أنواع الخبرات الصادمة التي تعرض لها الأطفال جدول رقم (2)

390

(% 96.3 ) (% 93.8 ) 380 (% 87.7) 355 (% 80.7 ) 327 (% 65.4) 265 (% 75.6) 306 (% 53.8) 218

(% 46.4 ) 188 (% 34.8 ) 141 ( % 39.5) 160

(% 32.1 ) 130 (% 30.4 ) 123

(% 30.1 ) 122 (% 19.3 ) 78 (% 28.9 ) 117 (% 19.3 ) 78

(% 13.1) 53 . (% 7.7 ) 31 (% 8.4) 34

جدول رقم (2) الخبرات الصادمة التي تعرض لها الأطفال خلال انتفاضة الأقصى

ا لاقـصي					
النسبة المئوية	العدد	أنواع الخبرات الصادمة	٩		
96.3	390	سماع عمليات اجتياح من الجيش الإسرائيلي	1		
93.8	380	مــشاهدة صــور الــشهداء و الجرحى في التلفزيون	2		
87.7	355	مــشاهدة تفجـير البيــوت في التلفزيون	3		
80.7	327	مــشاهدة عمليـات اقتحـام الجيش الإسرائيلي للبيوت	4		
75.6	306	مشاهدة قصف البيوت والمقرات المختلفة بالصواريخ	5		
65.4	265	سماع نیأ استشهاد صدیق	6		
53.8	218	مــشاهدة عمليــة اغتيــال بالصواريخ	7		
46.4	188	مشاهدة بيوت الجيران تقصف بالمدفعية و الرشاشات	8		
39.5	160	مـــشاهدة إصــابة صــديق بالرصاص	9		
34.8	141	تعرض أرضه للتجريف	10		
32.1	130	مشاهدة اقتحام منزلـه أو منزل الجيران ليلا	11		
30.4	123	مشاهدة بيت أحـد الأقربـاء	12		

.% 1.2 5 , % 41.4 168 % 32 130 40 % 10 % 8.2 33 5.5 22 % 2.4 10 ( )

جدول رقم (1) المعلومات الديموغرافية لعينة الدراسة (عدد= 405)

.% 0.3

النسبة المئوية	العدد	
		الجنس
51.6	209	اناث
48.4	196	ذُكور
		العمر
33.3	135	13 سنة
34.6	140	14 سنة
32.1	130	15 سنة
		مكان السكن
33.6	136	مدینة رفح
33.8	137	قـريـة القـرارة
32.6	132	خیم خانیونس
		مهنة الأب
41.4	168	لا يعمل
23.5	95	مـوظف
10.2	41	عامل
9.2	37	مـزارع
6.5	26	تاجر
6.5	26	صنا یعی
2.9	12	رجل أمن
		مهنة الأم
93	377	ربة بيت
5.3	21	مـوظفــة
1.7	7	عاملة
		المستوى التعليمي للأب
34.5	140	ثانوي
27	108	إعدادي
17	69	جامعة
8.4	34	دبلوم متوسط

#### افطرابات الشحة التالبة للعدمة من منظمر عربي

 $(X^2 = 31.60, df = 2, p = 0.00)$ (% 9.6) 13 7 4-1) ( 13 ( % 10) ( % 5) 15 13 14 ( % 70.3 ) 13 95 ( % 68.6) 96 ( 10-5) 76 58.5) 14 (% 20.1) 27 15 11) (% ( 13 ( % 26.4) 14 37 15 ( % 31.5) 41 15 (X2 = 3.99 , df = 4, P = 0.40)% 43.2 57 52 % 38.2 .% 32.7 45

% 60 82 % 48.6 67 66 % 50.8 18 ( % 7.3 ) 10 ( % 13.2) (X2 = 8.47, df = 4, p = 0.07)(%6)

8.37 = 8.26 = 3.01 = 3.05 = $(F = 4.71, P = 0.00) \cdot 2.91 =$ 9.28 = (Tukey)

p = 0.03p=0.01p = 0.95

> 3.7 - انتشار ک جدول رقم (5) ( % 83.7) 339 (% 45.9) 186

30.1	122	مشاهدة أحد الأقرباء وهـو يقتل بالرصاص	13
28.9	117	مـــشاهدة بيتــه يقــصف بالمدفعية و الرشاشات	14
19.3	78	مشاهدة بيته وهو يهدم مـن الجيش	15
19.3	78	مشاهدة أحد الأصدقاء وهـو يقتل من الجيش	16
13.1	53	إصابته شخصيا بالرصاص	17
8.4	34	سماعه لمقتل أو استشهاد أحد أفراد الأسرة	18
7.7	31	مشاهدة استشهاد أحد أفراد الأسرة	19

3.7 - شدة الخبرات الصادمة التي تعرض لها الأطفال جدول رقم (3)

جدول رقم (3) شدة الخيرات الصادمة التي تعرض لها الأطفال (العدد=405)

النسبة المئوية	العدد	شدة الخبرات الصادمة
8.2	33	بسيطة
65.9	267	مـتـوسطة
25.9	105	شدیـدة

جدول رقم (4)

جدول رقم (4 ): العلاقة بين الجنس وشدة التعرض للخبرات الصادمة (العدد=405)

شدة الخبرات الصادمة						
شدیـدة		متوسطة		بسيطة		الجنس
ે	العدد	%	العدد	્ર	العدد	
14.4	30	74.6	156	11	23	أنثى
38.3	75	56.6	111	5.1	10	ذكر

Arabpsynet e.Journal: N° 13 - Winter 2007

(ANOVA)

#### فطرابات الشدة التالية للعدمة من منظور عربي

(% 19.3) %2.4 78 39 - 25 59-40 %2.4 % 3.2 (% 18.3) 74 % 54.5 % 8.8 (%0.2)24- 12 %25.4 %10.8 66 59 %9.4 % 37.3 11-0 % 0.2 %10.3 %18 جدول رقم (5):تصنیف ردود الفعل لکرب ما بعد %4.9 الصدمة النفسية (العدد=405) ردود الفعل لكرب ما %3.7 العدد بعد الصدمة (X2 = 36.44, df = 8, p = 0.00)16.3 66 لا يوجد اضطراب 18.3 74 ردود فعل بسيطة 45.9 186 ردود فعل متوسطة جدول رقم (6): العلاقة بين شدة الصدمة النفسية و 19.3 78 ردود فعل شديدة تطور كرب ما بعد الصدمة (العدد=405) ردود فعل شديدة جدا 0.2 1 شدة الخبرات الصادمة ردود الفعل لكرب ما ىعد الصدمة متوسطة شديدة بسيطة 37 لا يوجد اضطراب %9.4 %3.7 %3.2 % .717 %4.9 %10.8 %2.4 ردود فعل بسيطة %25.4 %2.4 %18 ردود فعل متوسطة 172 %10.3 88.8 응0 ردود فعل شديدة % 82.3 42 ردود فعل شدیدة جدا 응0 응0 % 21.4 (X2 = 36.447, df = 8, p = 0.00)%78.6 154 (X2 =0.89, df =1, p = 0.34) .286 = 0.01 = ( % 22.3) 29 101 ( % 20.7) 29 ( % 77.7) ( % 79.3) 111 ( % 15.5) 21 37 ( % 84.5 ) 114 37 (% 18.8) ( % 47.4) ( % 17.7 99 (X2 = 2.12, df = ...( % 44.4) **8**7 2, p = 0.36) (% 21.4) 42 (% 17.2) 36 (% 17.7) 24 ( % .4) (% 82.3) 111 (% 18.1) ( % 17.2) 30 36 (% 81.9) 113 L(X2 = 2.366, df = 4, P = 0.66) (% 15.3) (% 22.7) ( % 77.3) 102 15 13,14 (X2 = 1.29, df = 2, p = 0.52)30.961 15 14 11.573 = % 8.1 جدول (6) 13.914 28.042

مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007

Arabpsynet e.Journal: N°13 - Winter 2007

### اضطرابات الشدة التالية للعدمة من منظور عربي

```
14.092
                                                                                                               26.274
                                  0.080
                                                                                                   (F=3.89, p=0.02)
                                                             .0.05
                                           (19)
                                  0.090
    4.7 - أعسراض الحزن الأكثر انتشارا بين الأطفال
                                                                                  29.659
                                      جدول رقم (7)
                                                                                                                13.156
              %48.4
                              (1)
                                                            13.016 =
                                                                                       28.264
                                        %34
                                                      (2)
                                                                . 13.984=
                                                                                           27.233
             (3)
                                                                        (One-Way ANOVA)
                                                   %54.3
                         %30.6
                                           (4)
(5)
                                                                                      (F= 1.119, p = 0.33)
                                         %52.1
                                                                                     (Tukey)
              %39
                             (6)
                                    %23
                                                   (7)
%49
                (8)
                 %36.3
                                 (9)
                                                                          0.01
                                                                                                                  .215
                    جدول رقم ( 7 )
   أعراض الحزن الأكثر شيوعاً بين الأطفال(العدد=405)
                                                            (1.13.18)
          k
                               أعراض الحزن
                                                   الرقم
                             أحلام تتعلق بالشخص
 51.6 209
             48.4
                   196
                                                                                                              )
                           رؤية شكل يشبه الشخص
  66
       267
              34
                   138
                             الميت في حالة الوعي
                                                                                  .201 =
             54.3
                   220
                            البكاء علي الميت
عدم قبول الواقع أو
 45.7 185
                                                                                                   0.01،
 69.4
       281
             30.6
                   124
                               إنكار فكرة الموت
                           أفكار تتعلق بالشخص
                                                                        (14.15.16.17)
 47.9
       194
             52.1
                   211
                                                     5
                            تغير طريقة اللعب أو
النشاطإت التي من
  61
       247
              39
                   158
                                                     6
                          الممكن أن تذكر بالشخص
                                                                        . 0.05
                                                                                                                .120
                            أفكار تتميز بالغضب
  77
       312
                    93
                                 بن الشخص الميت
                            ى ...
الرغبة في الموت و
اللحاق بالشخص الميت
                                                                                               (11.12)
                   198
  51
       207
              49
                           الشعور بالكآبة وضيق
       258
             36.3
                   147
 63.7
                                                                  .140 =
                                                                                  . 0.01
1-0:
                                        4-2 '
                          9-8
                                   7-5
                                                                                   (7.8.9.10 5)
     402
                                         . (% 99.3)
                       ( % 3.2)
                                    13
                                        ( % 16.3) 66
    65
                                                ( % 16)
                                                                . 0.01
                                                                                                         .204 =
             (% 16.3)
13.6)
        55
                               (% 20.2)
                                           82
                                                       (%
   35
                                                                                                  (2:3:4:6)
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                          مجلة شبكة العلوم النفسية العربية: العدد13-شتاء 2007
```

## اضطرابات الشدة التاليــة للعدهـة مــن منظــور عربــــى

```
(% 4.4)
                                                                                 18
                                                                                                                (% 8.6)
                                                                                            (% .5)
                                                                                                         2
                                      (2.3.4.6)
                                                                          . (% 0.7)
                                             0.050 =
                                                                                           (% 47.3)
                                                                                                          99
                                                                     (%52.7)
                                            (19)
                                                                                  110
                                                                                   (% 48.4)
                                                                                                 95
                                ٠ 0.099 =
                                                               101
                                                                                                              (% 51.6)
                                                   8 - المناقش
                                                                                 (X2 = 0.63, df = 1, p = 0.42)
                                                                        (
                                                                              15 ( 14 ( 13 )
                                                                        13
                                                                                   (% 39.2)
                                                                                                53
                                                               (% 52.1)
                                                                             73
                                                                                                                14
                                                                                   15
                                                                                               (% 52.3)
                                                                                                               68
4
                             14
                                                                      15 (13)
                                                                                                          14
                                                                                                (X2 = 6.08, df = 2, P = 0.047)
                                                                   . 0.05
                                                                      %31.8
                                                                                             % 53.3
                                   14
                                                4
                                                                                  % 59
                                                                     )
                                                                           (X2 = 26.61, df = 2, p = 0.00)
(El-Majdalawi, 2004; Abu-
                                 . Nada, 2003; Thabet, 2001)
                                                                                                          0.201
                                                                                         (1.13.18)
                              9
                                          14 - 4
                                                                            0.251=
                    4
                                                                                            . 0.01
                                                         14
                                                               )
                                                                                                              ( 14،15،16،17
                                                                           0.01
                                                                                                                    0.209 =
(Thabet
                                              et al, 2001)
                                                                                                                   (11.12)
                              10-0
(Nader et al
                                                      ,1993)
                                                                                       ، 0.111 =
                                      5.2
                                                                                                        .0.05
                                                               )
                          (Macksoud, 1992)
                                                                                                                 (5.7.8.9.10
                                            6
                                                                    . 0.05
                                                                                                          0.112 =
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                              مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007
```

## إضطرابات الشحة التاليخ للصدمة من منظور عربي

```
(Nader et al, 1993)
                                                                                                                          %96.3
                                                                                                                        %7.7
                                                                                             ،%93.8
                                                                 %80.7
                                                                                                                 ،%87.7
                                                                                          ،%75.6
                                                                                    (Abu-Nada, 2003)
                                                                 (Thabet et al,
                                                                                                                          2001)
                                                                                                                       %96.5
                                                                                                            %6.2
                                                                 (Thabet, and Vostanis, 1999)
   %20.1
   %26.4
                                            13
                                                                 % 56.1
                   %31.5
                                            14
                                                            15
                                                                         %1.2
                                                                      (Macksoud, 1988)
              (Smith et al, 2002)
(Nader et al, 1993)
                                                                                       (Nader et al, 1993)
                                           %43.2
          %38.2
                                       11)
%32.7
        . 8.26
                                     8.37
                                                        ، 9.28
                                                                                              %5.1
                                                                                                %11
     (Thabet et al, 2001)
                                                                                                     %56
                                                                                                               %74.6
                                          (Abu-Nada, 2003)
                                                                                                                         % 38.3
                                                                                                                          %14.4
                                                                   (El-Majdalawi,2004; Abu-Nada, 2003; Thabet et al, 2001)
                                                       )
                                                                                          (Smith et al, 2002)
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                                 مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007
```

## اضطرابات الشدة التاليــة للعدمــة مــن منظــور عربــــى

```
. (Lazarus and Folkman, 1984)
El-)
                                           (Majdalawi, 2004
                                                                                                   (DSM-III-Revised)
                                          (Nader et al, 1993)
                                                                                                             %19.5
                                                                 El-
                                                                                                              (Majdalawi, 2004)
                                                                 (Abu-Nada, 2003)
                                                                                                 4%71.2
                                                                   %38.5
   (Abu-Nada, 2003; Macksoud, 1996; Punamaki et al, 1997).
                                                                 (Quta et al, 1993)
                                                                                                     (Thabet et al, 2001)
                          (Thabet et al,1997)
                                                     12-11
                 9-6
                                                                       (Hubbard et al, 1995)
                                        (Maksoud, 1992)
                                                                                                        % 3.6
                        (Nader et al,1993)
                                                                                   %59
                                                                   (Ahmed et al, 2000)
                                                                         %87
                                                                 (Thabet et
(Abu-
                                                                                                                      al, 1994)
                                                  Nada, 2003)
                                                                   %38
            ( El-majdalawi , 2004)
                                                                                                            (Abdin et al, 1994)
                 )
                                                                                                    %70
                           (Macksoud, and Aber, 1996)
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                                 مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007
```

## إضطرابات الشحة التاليــة للصدمــة مــن منظــور عربــــي

```
(Ajdukovic, 1998)
   %19
              %28.6
                                             %52.4
   (Abdin et al, 1994)
           %70
           %40.6
                                               %48
                                      %11.4
(Thabet et
                                               al, 2004)
                                    %52
                                   %23
          %47.9
                                                               (Nader
                                                                                                               et al, 1993)
-8
             7-5
                         4-2
                                    1-0:
                                                                              )
          5
                                                          9
                                                                                                              .(
(Nader et al,
                                                      1993)
                                                               (Macksoud
                                                                           and
                                                                                                               Aber, 1996)
                                                       %98
                           (Elizur and Kaffman, 1982)
                                                      %40
                                                                                                   (Nader et al ,1993)
                        (Zivcic, 1993)
                     (Weine et al, 1995)
                                   %65
                                                      %35
                                                               (Thabet
                                                                                                               et al, 2002)
                                                                                                        (Nader et al, 1993)
                                                                                                           % 18.3
                                                               %45.9
                                                                                            %19.5
                           (Nader et al, 1993)
Arabpsynet e.Journal: N° 13 - Winter 2007
                                                                              مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007
```

# 

(ANOVA) (Nader et al, 1993) (18،1،13) (14.15.16.17) (19)(2,3,4,6) (Dyregrov and Raundalen, 1991) (Elizur and %40 Kaffman, 1982) (Punamaki, 1982) (Raundalen et al, 1987) (Anthony, 1986) (Thabet et al, 2004) (Nader et al, 1993) 9 - التضمينات والتوصيات (Nader et al, 1993) (Smith et al, 2002) Arabpsynet e.Journal: N° 13 - Winter 2007 مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007

- , V., & Von Knorring, A.L.(2000). Posttraumatic stress disorder in children after the military operation "Anfal" in Iraqi Kurdistan. Child Adolescent Psychiatry, 9,235-243.
- Ajdukovic, M., (1998). Displaced adolescents in Coroatia: sources of stress and posttraumatic stress reaction. Adolescence, 33, 209-217.
- Allodi, F.(1982). Psychiatric sequelae of torture and implication for treatment. Journal of the World Medical Association, 29, 71-75.
- Anthony, E. (1986) . Children's reactions to severe stress: Some introductory comments . Journal of the American Academy of Child Psychiatry, 25 (3),299-305.
- Dyregrov, A. & Raundalen, M.(1991). The impact of the Gulf Crisis on Children in Iraq. Paper presented at Ist International Conference "Palestine and Peace" Gaza Strip.
- El-Majdalawi, A. (2004). Effect of Al-Aqsa Intifada Psychic Trauma on School Performance Among Preparatory School Children in Gaza Strip, master thesis, School of Public Health, Gaza.
- Elizur, E., & Kaffman, M., (1982). Children bereavement reactions following death of the father. Journal of the American Academy of Child and Adolescent Psychiatry, 21, 474-480.
- Genefke, I.K., & Somnier, M . (1986). Psychotherapy for victims of torture. British Journal of Psychiatry, 149, 323-329.
- Goenjian, A., Pynoos, R., Steinberg, A., Najarian, L., Asarnow, J., Karayan, I., Ghurabi, M. & Fairbanks, L. (1995). Psychiatric comorbidity in children after the 1988 earthquake in Armenia. Journal of the American Academy of Child and Adolescent Psychiatry, 39, 368-377.
- Goldstein, R., Wampler, N. & Wise, P., (1997).War experiences and distress symptoms of Bosnian children .Journal of Developmental & Behavioral Pediatrics, 100, 873-878.
- Hubbard, J., Realmuto, G.M., Northwood, A.K., & Masten, A.S., (1995). Comorbidity of psychiatric diagnosis with posttraumatic stress disorder in survivors of childhood trauma. Journal of the American Academy of Child and Adolescent Psychiatry, 34, 1167-1173.
- Lazarus, R. S. & Folkman, S. (1984). Stress, Appraisal, and Coping. New York , Springer.
- Lonigan, C. J., et al , (1991). Children's reaction to natural disaster, symptom severity and degree of exposure. Advance in Behavior Research and Therapy, 13,135-154.
- Macksoud, M., & Aber, L . J. (1996) The experience and psychological development of children in Lebanon. Child Development Journal, 32, 70-88.

#### 1.9 - تضمينات ( توصيات ) للمؤسسات الحكومية و الغير حكومية

2.9 - تضمينات ( توصيات ) للعاملين المهنيين (الفنيين) في مجال الصحة النفسية

•

•

المراجع / References

- Ablidgaard, U., Daugaard, G., & Marcussen, H. (1984). Chronic organic psycho-syndrome in Greek torture victims. Danish Medical Bulletin, 31, 239-242.
- Abu Hein, F., Qouta, S., Thabet, A., & El Sarraj, E.(1993). Trauma and mental health of children in Gaza. British Medical Journal, 306, 1129-1130.
- Abu-Nada, I. (2003) The Impact of Parenting Support on Posttraumatic Stress Disorder among Palestinian Children in Gaza Strip, master thesis. School of Public Health, Gaza.
- Ahmed, A., Sofi, M., Sundelin-Wahlsten,

مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007

Arabpsynet e.Journal: N° 13 - Winter 2007

- children in Uganda, pp.83-108. Oslo , Norwegian University Press.
- Smith, P., Perrin, S., Yule, W., Hacam, B., & Stuvland, R. (2002). War exposure among from Bosnia-Hercegovina:
  Ladjustment in a community children Psychological sample . Journal of Traumatic Stress, Vol. 15, No.2, April 2002, pp. 147-156.
- Thabet, A. (1996). Notes in General Psychiatry, 1th ed. Gaza . pp. 73-78.
- Thabet, A. & Vostanis, P. (1998). Social adversities and anxiety disorders in the Gaza strip. Archives of Disease in Childhood, 78, 439-442.
- Thabet, A..& Vostanis, P. (1999) Post traumatic stress reactions in children of War. Journal of Child Psychology and Psychiatry, 40, 385-391.
- Thabet, A..& Vostanis, P. (2000).Posttraumatic stress disorder reactions in children of war: a longitudinal study. Child Abuse and Neglect, 24, 291-298.
- Thabet, A., Abed, Y., & Vostanis, P. (2001). Effects of trauma on mental health of Palestinian children and mothers in Gaza Strip. Eastern Mediterranean Health Journal, 7, 413-421.
- Thabet, A., Abed, Y., & Vostanis, P. (2002). Emotional problem in Palestinian children living in war zone. The Lancent, 359, 1801- 1804.
- Weine, S., Becker, D., McGlashan, T., Vojvoda, D., Hartman, S., & Robbins, J. (1995). Adolescent survivors of ethnic cleansing on the first year in America. Journal of American Academy of Adolescent Psychiatry, 34, 1153-1159.
- Wenar, C. & Kerig, P.(2000).Developmental Psychopathology: From Infancy through Adolescence, fourth ed. New York: McGrawhill, Inc. pp. 185-188.

- Macksoud, M. (1992). Assessing war trauma in children: A case of
- Lebanese study. Journal of Refugee Studies, 5,74-85.
- Macksoud, M. (1988) The War Traumas of Lebanese Children. Lincoln, England .
- Mollica, R.F., Wyshak, W. & Lavelle, J. (1987). The psychosocial impact of war trauma and torture on Southeast Asian refugees. American Journal of Psychiatry, 144, 1567-1572
- Nader, K., Pynoos, R., Fairbanks, L., Al-Ajeel, M. & Al-Asfour, A., (1993).Preliminary study of PTSD and Grief among the children of Kuwait following the Gulf Crisis. British Journal of Clinical Psychology, 32,307-416.
- Pfefferbaum, B.( 1997). Posttraumatic stress disorder in children , A review of the past ten years. Journal of the American Academy of Child and Adolescent Psychiatry, 36, 1503-1511.
- Punamaki, R., Quota, S., & El-Sarraj, E., (1997). Relationship between traumatic events, children's gender, and political activity, and perception of parenting styles. International Journal of Behavioral Development, 21, 91-109 .
- Punamaki, R.I. (1982). Children in Shadow of War . A psychological study in attitudes and emotional life of Israeli and Palestinian Children. Current research Peace and Violence.5:26-41.
- Pynoos,R.S., Frederick, C. & Nader, K.(1987). Life threat and Posttraumatic stress in school-age children . Archives of General Psychiatry, 44, 1057-1063.
- Raundalen, M., Lwanga, J., Magisha, C., & Dyregrov, A. (1987). Four Investigations on Stress Among Children in Uganda. In C.P. Dodge and M. Raundalen , War, Violence and

## Arabpsynet Psychiatrists Search



www.arabpsynet.com/CV/default.asp

## Arabpsynet Psychologists Search



www.arabpsynet.com/CV/defaultPsychologists.asp

#### **ARADDSYNET THESIS** Send Your Book Summary Via This Form

http://www.arabpsynet.com/these/ThesForm.htm

ARADDSVNET **e.Journal**: N° 13 - Winter 2007

# Arabpsynet Propositions Form



Send Your Propositions Via This Form www.arabpsynet.com/propsitions/PropForm.htm

مجلة شبكة العلوم النفسية العربية: العدد 13-شتاء 2007